

GLIX PRODUCTS

DRAINING SOAP DISH
GLIX DSD/500
 Slotted drain holes;
 3-1/8 x 3-7/8" W



TOOTHBRUSH HOLDER
GLIX TBH/515
 1-1/8 X 3" W



DOUBLE ROBE HOOK
GLIX DRH/500-2
 2-1/8 X 1-1/2 X 1-5/8"



SINGLE ROBE HOOK
GLIX SHR/500-1
 5" Projection



SINGLE ROBE HOOK
GLIX SRH/500-SH
 2-1/8 X 1-1/2 X 1-5/8"




HOOK & BUMPER
GLIX HB/90
 3" Projection; cast brass,
 cast aluminum polished
 chrome.



HANDICAP GRAB BAR
GLIX GB/650
 ID of bar: 1", 1-1/4", 1-1/2"
 Flange 3"
 Specify length: 8" to 60"
 Stainless steel, chrome/brass,
 aluminum.



RECESSED TOILET PAPER HOLDER
GLIX RTPH/500
 Fits into wall opening 5-1/4 x 5-1/4"
 Overall size: 6-1/4 x 6-1/4"




SURFACE TOILET TISSUE HOLDER
GLIX TP/PC/CS
 7-7/16 X 1-1/2 X 3-1/2"

REPLACEMENT ROLLER
GLIX RTP-6
 Plastic, 5-7/8 x 1"
 Black, chrome, white.



TOWEL BAR
GLIX STB/500-4
 3/4" Polished aluminum or stainless
 steel. Square bar.
 18", 24" or 36" length.



36" REPLACEMENT BAR
 Clear lucite plastic. 3/4" diam.
CP 36-36", CP 24-24", CP 18-18"

SPARE ROLL TOILET PAPER HOLDER
GLIX STTH/500
 Polished chromium plated or
 24K gold plated.




FLIP TOP ASHTRAY
GLIX SSFTA/500
 Stainless steel, surface mounted.
 Overall size: 5 x 1-1/4" x 3-5/8"



FACIAL TISSUE DISPENSER
GLIX SM/500
 Takes standard
 commercial tissue box.
 Chrome, polished bronze
 or stainless steel finish.



ASH URN
GLIX SWU/500
 Stainless steel, solid brass, bronze
 removable aluminum receptacle.
 8" x 4-1/2", 3-1/2", 3-1/4" or 2-3/4"
 12" x 6", 5-1/4", 4-1/2" or 4-1/4"



ELECTRIC HAND DRYER
GLIX EHD 100
 Surface Mounted. Area
 required 10-3/4" x 8" x 7".
 30-second drying cycle.
 Chrome or white.



ROUND WALL ASH URN
GLIX AUR/770
 Stainless steel.
 7" center mounting
 holes. 8-3/4" deep; 9"
 front to back. Exposed
 screws.



LIQUID SOAP DISPENSER
GLIX DL/50
 Plastic globe.
 Chrome bracket.
 7" height; 16 oz.
 Polyethylene globe.
 Exposed screws.



SOAP DISPENSERS
40-H Horizontal
40-V Vertical
 Stainless steel tank-type. Tamper and
 theft proof. Both styles have 40 oz.
 capacity with top fill and service key.



Unless otherwise noted: All items on this page are available in stainless steel (bright or satin finish) or zamak (triple chrome-plated zinc alloy). Units are surface mounted, concealed screw installation, and include installation flange of heavy gauge zinc.



QUALITY MARINE HARDWARE



BRASS ★ BRONZE ★ STAINLESS STEEL

Web: www.glixprod.com • E-Mail: sales@glixprod.com



Toll-free Telephone:
 (800) 233-6604

Manufacturers of: Hinges/Locks/Hasps/Pulls/Handles/Knobs/Latches/Catches/Fasteners/Cabin
 Door Hooks/Door Stops/Bolts/Coat & Hat Hooks/Lavatory Bath & Washroom Accessories


Toll-free Fax:
 (800) 233-5036

GLIX PRODUCTS




**MULTI-FUNCTION CAM LOCKS
GLIX MFCL-100**

Includes: Washer, cams, stops, filler, set screws & keys. Assembly can be customized to meet individual requirements.
Sizes (inches): 3/8, 5/8, 7/8, 1-1/8, 1-3/8




**SLIDE BAR LATCH
GLIX SBL**

Material: 18-8
Stainless steel
Finish: satin
Stainless steel screws



**HATCH OR MOTOR BOX HINGE
GLIX 2283**

Cast stainless steel; removable shaft
2-3/4" x 2-7/8"




**BRASS KEY TAGS
GLIX BKT**

Thickness: .040 in. Packaged in boxes of 100.
Sizes (inches): 1, 1-1/4 or 1-3/8 diam.



**SOLID BRASS BARREL BOLTS
GLIX SBBB**

Polished brass or polished chrome finish
Sizes (inches): 2, 2-1/2, 3, 4, 5, 6



**DRAWER KNOB
GLIX DK**

Material: Zinc die cast
Finishes: Polished brass or polished chrome
Sizes (inches): 1, 1-1/2, 1-7/8
Optional round backplate,
2-7/8" diam.



**CABIN DOOR HOOK
GLIX CDH**

Material: Cast brass
Finishes: Polished brass or chrome
Sizes (inches): 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 7



GLIX SH SAFETY HASPS

Chrome-plated brass
SH-3 - 3" x 1"
SH-4 - 4" x 1"



**DOOR STOP
GLIX FS-200**

1-3/4" Diameter brushed chrome or polished brass. Grey vinyl bumper. Flush floor mount.



**DOOR STOP
GLIX WS-100**

2-1/2" Diameter brushed chrome or polished brass. Grey vinyl bumper. Concealed screw mount.



**SPLIT KEY RINGS
GLIX SKR - (Size)**

Nickel plated steel
Sizes (inches): 1/2, 5/8, 3/4, 7/8, 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-3/4, 2



**SPRING LOADED RING PULLS
GLIX SLRP**

Stainless steel, spring return
SLRP-134 - 1-3/4" x 1-1/2"
Hole c/1 1-3/8" x 1-1/8"
SLRP-212 - 2-1/2" x 2-1/8"
Hole c/1 2-1/8" x 1-5/8"



**FOLD-UP CLOTHES HOOK
GLIX CH 45**

Spring loaded to retract when not in use. Holds up to 65 lbs. 2-9/16" length. Chrome.




QUALITY MARINE HARDWARE



BRASS ★ BRONZE ★ STAINLESS STEEL

Web: www.glixprod.com • E-Mail: sales@glixprod.com




Toll-free Telephone:
(800) 233-6604

Manufacturers of: Hinges/Locks/Hasps/Pulls/Handles/Knobs/Latches/Catches/Fasteners/Cabin Door Hooks/Door Stops/Bolts/Coat & Hat Hooks/Lavatory Bath & Washroom Accessories

Toll-free Fax:
(800) 233-5036


GLIX PRODUCTS

**SLIDING KNOB
CUPBOARD LATCHES**



No. 300 Throw latch and keeper
 Material: Wrought brass
 Base plate: 2" x 2"
 Latch bolt: 9/16" wide x 5/32" thick
 Throw: 3/4"
 Keeper: 1/2" wide x 2" high
 Weight: 7 oz.


HINGES



Shipping weight 1/2 lb.

Catalog No.	Description	Size
A. D02101T-122	Butt chrome/brass	2" x 2"
B. D02105Y-122	Small cuddy chr/brass	3"
C. D02106W-122	Large cuddy chr/brass	4"
D. D02107M-122	Heavy hatch chr/brass	2-3/4" x 3-1/8"
F. D02111F-122	Small strap chr/brass	4"
G. D53604L-122	Door over frame chr/brass	2-3/4" x 1-3/4"
H. D52126T-122	Semi-concealed chr/brass	2-3/4" x 2"

PUSH AND PULL PLATES




**PULL
P-100**

**PUSH
P-101**

Specify plate type (push or pull), size and material required (aluminum, brass or stainless steel).

BROAD HINGES




Full mortise, broad hinge; 5-knuckle, button tips; with screw. Brass hinge with brass pin. Government No. 2262; FLC No. 2093.

Size (in.)	Gauge	Wood Screw	Weight
2 x 2	.064	4-3/4 x 6	25 lb./100 pr.
2-1/2 x 2	.064	6-3/4 x 6	30 lb./100 pr.
2-1/2 x 2-1/2	.064	6-3/4 x 6	36 lb./100 pr.
3 x 2-1/2	.074	6-3/4 x 7	52 lb./100 pr.
3 x 3	.074	6-3/4 x 7	62 lb./100 pr.

HINGES

Wrought brass, bronze or aluminum, polished loose pin hinges for heavy or wide doors and doors receiving high-frequency service.



No. BB81-1/4

All sizes can be furnished with pin that cannot be removed when door is closed.

No. BB81-1/4: Template for all doors hung on metal frames.

Stainless steel pins, polished, four self-retaining non-detachable stainless steel ball bearings.

Size (in.)	Gauge	Screws furnished for BB81-1/4*		Weight lb. (approx.) per pair
		Wood	Machine	
4-1/2 x 4	.180	4-1-1/4 x 12	4-1/2 x 12-24	2-1/2
4-1/2 x 4-1/2	.190	4-1-1/4 x 12	4-1/2 x 12-24	2-3/4
5 x 4	.190	4-1-1/4 x 12	4-1/2 x 12-24	3
5 x 4-1/2	.190	4-1-1/4 x 12	4-1/2 x 12-24	3-3/8
5 x 5	.203	4-1-1/4 x 12	4-1/2 x 12-24	3-3/4
6 x 5	.203	5-1-1/2 x 14	5-1/2 x 1/4-20	5-1/2
6 x 6	.203	5-1-1/2 x 14	5-1/2 x 1/4-20	6-7/16

* Can be furnished with all machine screws. To order, suffix "all TMS" to number, i.e., **BB81-1/4 - 4-1/2 x 4-1/2 all TMS**, etc.

Can be furnished with all wood screws. To order, suffix "AWS" to number, i.e., **BB81-1/4 - 4-1/2 x 4-1/2 all AWS**, etc.




QUALITY MARINE HARDWARE



BRASS ★ BRONZE ★ STAINLESS STEEL

Web: www.glixprod.com • E-Mail: sales@glixprod.com



Toll-free Telephone:
(800) 233-6604

Manufacturers of: Hinges/Locks/Hasps/Pulls/Handles/Knobs/Latches/Catches/Fasteners/Cabin Door Hooks/Door Stops/Bolts/Coat & Hat Hooks/Lavatory Bath & Washroom Accessories

Toll-free Fax:
(800) 233-5036


GLIX PRODUCTS

HEAVY WEIGHT HINGES

Adjustable ball bearing pivots and hinges for medium weight doors.

Nos. BB851/4, BB951/4

Wrought brass, bronze or aluminum polished loose pin hinges.



Hinges 4" x 4" and larger can be furnished with a pin that cannot be removed when door is closed. To order, add suffix A to order number, i.e., BB85-1/4 4" x 4" A.

No. BB85-1/4 and BB95-1/4 – Template for all doors hung on metal frames. Recommended for medium weight hollow metal doors or wood doors receiving average service and for closer-equipped doors.

No. BB85-1/4 – Polished stainless steel pins, two self-retaining, non-detachable stainless steel ball bearings.

No. BB95-1/4 – Stainless steel pins, knuckles polished and buffed, leaves buffed only.

Size Inches	Gauge	Screws Furnished		Weight, lb. (approx) per pair
		For no. 86-1/4*		
		Wood	Machine	
3 x 3	.115	3 - 3/4 x 10	3-1/2 x 10-24	7/8
3-1/2 x 3-1/2	.123	3 - 1 x 10	3-1/2 x 10-24	1-1/4
4 x 4	.130	4 - 1 x 12	4-1/2 x 12-24	1-13/16
4-1/2 x 4-1/2	.138	4 - 1-1/4 x 12	4-1/2 x 12-24	2-5/16
5 x 4-1/2	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	2-5/8
5 x 5	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	3

*Can be furnished with all machine screws. To order, add suffix "all TMS" to number, i.e., No. BB86-1/4 3" x 3" all TMS, etc. Can be furnished with all wood screws. To order, add suffix "AWS" to number, i.e., No. BB86-1/4 3" x 3" AWS, etc.


HINGES

EXTRUDED BRONZE WITH STAINLESS STEEL PIN

Loose Pin, Nylon Bearing, Swaged.

Also available extra heavy (EH)

Also available in stainless steel for the 3-1/2" x 3" size.




Size Open	Gauge	EH Gauge	Screw Size
3 x 3	.125		#10
3-1/2 x 3	.125		#10
3-1/2 x 3-1/2	.125		#10
4 x 3	.125		#10
4 x 3-1/2	.135		#10
4 x 4	.135	.170	#12
4-1/2 x 4	.135	.180	#12
4-1/2 x 4-1/2	.135	.180	#12
5 x 4	.135	.190	#12
5 x 4-1/2	.135	.190	#12
5 x 5	.150	.190	#12
6 x 4-1/2	.150	.203	#12
6 x 5	.150	.203	#12
6 x 6	.160	.203	#12

HEAVY WEIGHT HINGES

Adjustable ball bearing pivots and hinges.

Nos. 85-1/4, 95-1/4, 86-1/4

Wrought brass or bronze loose pin hinges for medium weight doors.



Hinges 4" x 4" and larger can be furnished with a pin that cannot be removed when door is closed. To order, add suffix A to order number, i.e., 85-1/4 4" x 4" A.

No. 85-1/4, 86-1/4 and 95-1/4 – Template for all doors hung on metal frames.

No. 85-1/4 – Polished stainless steel pins, knuckles stainless steel bushed.

No. 95-1/4 – Pins stainless steel, knuckles polished and buffed, leaves buffed only, not bushed, can be bushed when so ordered, i.e., 95-1/4 3" x 3" ss bushings.

Size Inches	Gauge	Screws Furnished		Weight, lb. (approx) per pair
		For No. 85-1/4*, 95-1/4*		
		Wood	Machine	
3 x 3	.115	3 - 3/4 x 10	3-1/2 x 10-24	15/16
3-1/2 x 3-1/2	.123	3 - 1 x 10	3-1/2 x 10-24	1-1/4
4 x 3	.125	4 - 1 x 12	4-1/2 x 12-24	1-1/2
4 x 3-1/2	.130	4 - 1 x 12	4-1/2 x 12-24	1-1/2
4 x 4	.130	4 - 1 x 12	4-1/2 x 12-24	1-3/4
4-1/2 x 4	.138	4 - 1-1/4 x 12	4-1/2 x 12-24	2
4-1/2 x 4-1/2	.138	4 - 1-1/4 x 12	4-1/2 x 12-24	2-5/16
5 x 4	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	2-5/8
5 x 4-1/2	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	2-7/8
5 x 5	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	3-1/8
6 x 6	.160	5 - 1-1/2 x 14	5-1/2 x 1/4-20	5-1/16

No. 86-1/4 – Pins stainless steel, primed for painting, beveled to allow paint clearances for knuckles

Size Inches	Gauge	Screws Furnished		Weight, lb. (approx) per pair
		For no. BB85-1/4*, BB95-1/4*		
		Wood	Machine	
3-1/2 x 3-1/2	.123	3 - 1/4 x 10	3-1/2 x 10-24	1-3/16
4 x 3-1/2	.130	4 - 1-1/4 x 12	4-1/2 x 12-24	1-3/8
4 x 4	.130	4 - 1-1/4 x 12	4-1/2 x 12-24	1-5/8
4-1/2 x 4	.138	4 - 1-1/4 x 12	4-1/2 x 12-24	1-3/4
4-1/2 x 4-1/2	.138	4 - 1-1/4 x 12	4-1/2 x 12-24	2-1/4
5 x 4	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	2-11/16
5 x 4-1/2	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	2-7/8
5 x 5	.146	4 - 1-1/4 x 12	4-1/2 x 12-24	3-1/16
6 x 6	.160	5 - 1-1/2 x 14	5-1/2 x 1/4-20	4-15/16

*Can be furnished with all machine screws. To order, add suffix "all TMS" to number, i.e., No. 85-1/4 - 3-1/2" x 3-1/2" all TMS, etc. Can be furnished with all wood screws. To order, add suffix "AWS" to number, i.e., No. 85-1/4 - 3-1/2" x 3-1/2" all AWS, etc.



QUALITY MARINE HARDWARE



BRASS ★ BRONZE ★ STAINLESS STEEL

Web: www.glixprod.com • E-Mail: sales@glixprod.com



Toll-free Telephone: (800) 233-6604

Manufacturers of: Hinges/Locks/Hasps/Pulls/Handles/Knobs/Latches/Catches/Fasteners/Cabin Door Hooks/Door Stops/Bolts/Coat & Hat Hooks/Lavatory Bath & Washroom Accessories

Toll-free Fax: (800) 233-5036

GLIX PRODUCTS

**SINGLE AND DOUBLE ACTING
SPRING HINGES****GLIX-600SA and GLIX-600DA**

Wrought steel, full mortise hinges with tempered steel springs.
Furnished with screws.



GLIX-600 SA
Single acting





GLIX-600DA
Double acting

Flange length: 6"
Minimum door thickness: 1-1/4"
Maximum door thickness: 1-3/4"
Finishes:


Single acting - prime coat
Double acting - prime coat
sprayed brass,
sprayed aluminum

FRICTION DOOR STAYS
GLIX-140

Will operate in a space of 1-3/4". Reversible for left or right hand use.
Will open 180°. 12" total length. Silenced by rubber bearings.

**MAGNETIC DOOR HOLDERS**
GLIX-845

Vertical Installation



Horizontal Installation

Overall body length: 3-3/4"
Flange diameter on body and catch plate: 1.89" (48 mm)
Material: Heavy impact plastic
Colors: Brown or ivory

PLASTIC DOUBLE CABINET CATCH
GLIX-172


Self-aligning arms work independently. Furnished with screws.
Used on flush or lipped doors.




Size (length x width): 1" x 1-1/4"
Stud projection: = 5/8"
Colors: White or brown

LOCKABLE DEADBOLTS
GLIX-822




Deadbolt locked with key. Reversible for use on right and left hand doors.



Case size (width x height): 2-3/4 x 1"
Metal bolt throw: 1"
Material: Die-cast zinc
Finishes: Brass or chrome
Keying: Keyed alike or keyed different

BRASS DRAWER PULLS
GLIX-BW170

Center to Center: 6.30" (160 mm)
Projection: 1.38" (35 mm)
Material: Brass
Finishes: Chrome or polished brass

BRASS PROFILE SECURITY CYLINDER
GLIX-815

Available as single cylinder with thumb turn or
double cylinder. (Specify when ordering.)

ADJUSTABLE DOUBLE BALL CATCH
GLIX-185

Sizes:
5/16" x 1-11/16" (Body)
5/16" x 1" (Strike)
11/32" x 1-15/16" (Body)
5/16" x 1-1/8" (Strike)
7/16" x 2-3/8" (Body)
3/8" x 1-1/2" (Strike)
1/2" x 2-3/4" (Body)
15/32" x 1-5/8" (Strike)


Material: Solid brass
Finishes: Polished brass or polished chrome



Toll-free Telephone:
(800) 233-6604



QUALITY MARINE HARDWARE
BRASS ★ BRONZE ★ STAINLESS STEEL
Web: www.glixprod.com • E-Mail: sales@glixprod.com



Toll-free Fax:
(800) 233-5036

**GLIX PRODUCTS
CAST BRASS HARDWARE**

CAST BRASS HINGES




GLIX PH55
4, 6, 8"



GLIX B687
Open size 3, 3-1/2, 4"




GLIX F968
Open width 3, 4, 5"




GLIX T038 Sizes 4, 5, 6, 8, 10"



GLIX T044 Sizes 4, 6, 8, 10, 12"




GLIX SH3
3 x 2-1/2"
Cast brass,
phosphor
bronze
spring



GLIX LOHZ
Size 2, 3, 4, 5"


**CONTINUOUS HINGES
GLIX CHB5656**

Widths:
1-1/16", 1-1/4", 1-1/2", 2"
Specify length desired.
Optional materials:
aluminum, s. steel.



**CONCEALED HINGES
(Invisible)
GLIX CH100**
Specify size

For light, medium and heavy
duty applications.
ALL SIZES




DROP RING




A

DRAWER PULL



B

FLUSH RINGS



D



G




F

PULLS



E



I



H

KNOBS



GLIX "J" KNOB
1/2" Dia. x 1" proj.



GLIX "K" KNOB
Dia: 3/4, 1, 1-3/4"



GLIX PU8
2-1/2 cc



GLIX "M" KNOB
Dia: 5/8, 3/4, 1"



GLIX PU12
2-1/2 or 5 cc



GLIX PU14
2-1/2 cc

- A. **GLIX DR1000** - 3 x 5/8 or 3-1/2 x 1-1/16"
- B. **GLIX DP4409** - 3-1/2" cc
- D. **GLIX FR1006** - 1 x 1-1/4, 1-1/4 x 1-1/2, 1-1/2 x 1-7/8"
- E. **GLIX DP4450** - 4 or 5"
- F. **GLIX FR1007** - 1-1/4, 1-1/2, 1-3/4"
- G. **GLIX FR1005** - 1-1/4, x 1-1/2, 1-7/8, x 2-1/2, 2 x 2-3/4"
- H. **GLIX SP1006** - 3 x 3-1/4, 3-3/8 x 3-3/8, 3-3/4 x 4-1/4"
- I. **GLIX FP1003** - 2-1/4 x 3, 4 x 4-3/4"



QUALITY MARINE HARDWARE



BRASS ★ BRONZE ★ STAINLESS STEEL

Web: www.glixprod.com • E-Mail: sales@glixprod.com



Toll-free Telephone:
(800) 233-6604

Manufacturers of: Hinges/Locks/Hasps/Pulls/Handles/Knobs/Latches/Catches/Fasteners/Cabin
Door Hooks/Door Stops/Bolts/Coat & Hat Hooks/Lavatory Bath & Washroom Accessories

Toll-free Fax:
(800) 233-5036

GLIX PRODUCTS

SURFACE MTD. DOOR BOLTS



GLIX 1210
15-3/4" Bolt polished brass



Strike	Bolt
1-1/8"	4-5/8"
2"	6-1/4"
2-7/8"	8"

GLIX 1212
Polished brass

FLUSH RING PULL LATCH



GLIX FRPL

Cast brass
1-3/8" x 1-1/8"
1-5/8" x 1-1/4"
2" x 1-1/4"
Polished brass or
polished chrome

CABINET CATCHES



Cast brass with phosphor
bronze spring


GLIX CC004 – 1-1/2 X 1-1/2 flush
GLIX CC007 – 1-1/2 X 1-1/2 3/8 offset



GLIX CC010

1-1/2 X 1
1-3/8 X 1-1/4
1-3/8 X 2

SHIP LATCH HANDLE SET



GLIX SLHS-2
Cast brass
knob dia. 2"
bar length - 4-1/4"



Mortise Strike



Universal Strike

ELBOW CATCH (Cast brass)



GLIX E22
5/8 X 1-1/4



BRASS NAME PLATE

Designer style, polished & lacquered brass,
shaded bronze plated. 9-1/8" x 1-9/16".



**FOOT PUSH
DOOR HOLDER**

GLIX FPDH
Ht: 6-1/4"
Cast brass or
cast aluminum



**DOOR
HOLDERS**

GLIX KDDS
Brass,
rubber tip,
4-1/2"

SELF LOCKING DOOR BOLT



GLIX SLDB
3-1/4" X 1-1/2"
Polished brass

SECURITY GATE LATCH

GLIX SGL-8

Cast Brass



2" x 3"
Requires 1-1/4" x No. 7 Screws

SAFETY HASPS



GLIX 6782
4-1/2" x 1-5/8"
Cast brass, heavy
duty

BRASS SURFACE BOLTS



GLIX 8989
Inches:
2, 3, 4, 6, 8, 10, 12

BRASS NUMBERS

**012
345
6789**

Available in
3" thru 8" nail-in style



QUALITY MARINE HARDWARE



BRASS ★ BRONZE ★ STAINLESS STEEL

Web: www.glixprod.com • E-Mail: sales@glixprod.com




Toll-free Telephone:
(800) 233-6604

Manufacturers of: Hinges/Locks/Hasps/Pulls/Handles/Knobs/Latches/Catches/Fasteners/Cabin
Door Hooks/Door Stops/Bolts/Coat & Hat Hooks/Lavatory Bath & Washroom Accessories


Toll-free Fax:
(800) 233-5036

GLIX PRODUCTS

BRASS DOOR HOLDERS




#MA-215
WALL PATTERN




#MA-210
FLOOR PATTERN

BRASS DOOR STOP & HOLDER



#MA-280
Wall Pattern Universal Type
Projection 3-3/4"
Base Diameter 2"


BRASS DOOR HOLDER




Cast brass with polished brass or polished chrome finish. Latches automatically; door releases when latch is depressed. Rubber door bumper. Base OA 2", Projection 2-1/2"

GLIX-DHB/SB/PB – Polished brass
GLIX-DHB/SB/PC – Polished chrome

BRASS COAT & HAT HOOKS




#MA-295
3-1/16" Projection
4-1/2" Height




#MA-212
3" Projection, 2-1/4" Height
3" Projection, 3" Height

**CABIN DOOR HOOKS
Cast Brass**




#MA-265
Double jointed. Measured in overall position.
Sizes (inches):
2-1/2, 3, 3-1/2, 4, 5, 6, 8, 10, 12, 14, 16, 18.

BRASS SAFETY HASP



Lengths (inches): 2, 3, 3-3/4, and 5


SHIP BOLTS



#MA-225
Cast brass, polished finish, straight square bolt with bronze friction spring.

Size (inches)	Size (inches)
2 x 1	5 x 1-5/8
3 x 1-1/8	6 x 1-3/4
4 x 1-3/8	8 x 2

BARREL BOLTS



#MA-211
Light pattern cast brass, round knob, polished finish. Measured by length of bolt in inches.

2	x 1-1/8	4 x 1-1/4
2-1/2	x 1-1/8	5 x 1-1/2
3	x 1-1/4	6 x 1-1/2




QUALITY MARINE HARDWARE



BRASS ★ BRONZE ★ STAINLESS STEEL

Web: www.glixprod.com • E-Mail: sales@glixprod.com



Toll-free Telephone:
(800) 233-6604

Manufacturers of: Hinges/Locks/Hasps/Pulls/Handles/Knobs/Latches/Catches/Fasteners/Cabin Door Hooks/Door Stops/Bolts/Coat & Hat Hooks/Lavatory Bath & Washroom Accessories

Toll-free Fax:
(800) 233-5036